

# DNAme MY B

**MY Baby's Health** 

Maria Musterfrau DEMO\_ML



**COVER LETTER** 

# Dear Ms. Musterfrau,

Your sample for the analysis arrived on 05/02/2018 in the laboratory and was evaluated according to the highest laboratory quality standards (ISO 15189). The results were evaluated and released by two independent geneticists and molecular biologists. After obtaining the results, your personal report was compiled. We hereby transmit the results to you in the format of your choice.

We would like to thank you for your trust and hope that you are satisfied with our service. We are always open for questions and suggestions, please do not hesitate to contact us. This is the only way we can continuously improve our services.

We hope the analysis meets your expectations.

Kind regards,

Dr. Daniel Wallerstorfer BSc.

**Laboratory Director** 

Florian Schneebauer, MSc.

Laboratory Manager

# **Baby Sensor**

Analysis report


Jimmy Doe | Date of birth: 01/01/2015

Order number: **DEMO\_ML** 

This report contains personal medical information that is highly confidential. Data protection must be ensured.



DEMO\_ML Page 1 of 32





# **SCOPE OF ANALYSIS**

Here you can find out which diseases were analyzed by our test



**SCOPE OF THE ANALYSIS** 

# Scope of the Analysis

This test analysed the urine sample of your child for more than 100 genetic and metabolic disorders and is one of the most comprehensive tests of its kind.

Here is a list of diseases covered by Baby Sensor, which can either be prevented or treated if diagnosed in time.

Disease	Complications	Type
Transient Galactosemia	poor weight gain coincident with liver dysfunction	Type A
2-ketoadipic Aciduria	Developmental delay and other neurological problems	Type A
3-hydroxy-3-methylglutaric aciduria (HMG oA lyase deficiency)	severe metabolic acidosis without ketosis / Developmental delay	Type A
3-hydroxyisobutyryl CoA decarboxylase leficiency	severe hypoketotic hypoglycemia and neurological damage	Type B
3-methylcrotonyl CoA carboxylase (3-MCC leficiency	) Acute metabolic acidosis, delayed development	Type A
3-methylglutaconic Aciduria	Cardiomyopathy and skeletal myopathy	Type B
5-oxoprolinuria	seizures, mental retardation and a loss of coordination	Type A
Hyperglycinuria(ketotic)	Failure to thrive	Type A
Adenine phosphorybosyl transferase leficiency	Urinary tract infection	Type B
Adenosine deaminase deficiency	Episodes of (otitis) ear infections and upper respiratory tract infections	Type B
Alkaptonuria	Damage to cartilage	Type A
Argininemia	Loss of developmental milestones	Type A
Argininosuccinic aciduria	Mental and motor retardation	Type A
Biotinidase deficiency	Scaly perioral/facial rash / mental retardation	Type A
Canavan disease	Severe regression of milestones	Type B
Hyperuric acidemia	Sensorineural hearing impairment, Uric acid urolithiasis	Type A
Citrullinemia	Lethargy and abnormal behavior	Type A
Cystathionuria	Liver dysfunction	Type A
Cystinuria	Delay in development	Type A
Benign hyperphenylalaninemia	eczema and fair hair and skin coloring	Type A
Methylmalonic aciduria, cbIA and cbIB orms (MMA, CbI, A,B)	weak muscle tone (hypotonia), developmental delay, excessive tiredness (lethargy), an enlarged liver	Type A

DEMO\_ML Page 4 of 32



Disease	Complications	Type
D-glyceric aciduria	Poor weight gain	Type C
Endogenous sucroseuria	Mental retardation	Type B
Dihydropyridinase Deficiency	Neonatal convulsions	Type D
Dihydrolipoyl dehydrogenase (E3) deficiency	Sweet smell to urine and body - like burnt sugar	Type D
Ethyl malonic aciduria	Failure to thrive / coma	Type D
Formiminoglutamic aciduria	Megaloblastic anemia	Type A
Fructose-1,6-diphosphatase deficiency	Hypoglycemia with ketosis	Type A
Fumarate hydratase deficiency	Seizures with severe retardation	Type D
Galactosemia	Hepatic dysfunction	Type A
Glutaric aciduria type I	Large head with movement difficulty	Type A
Glutaric aciduria type II	Sweaty feet odor and breathing problems / Mental and motor retardation	Type B
Glutathionuria	Hemolytic anemia	Type B
Beta- ketothiolase deficiency (BKT)	vomiting, dehydration, difficulty breathing, extreme tiredness (lethargy) and occasionally seizures $$	Type A
Primary hyperoxaluria type 2	Kidney stones, kidney damage, kidney failure, and injury to other organs	Type A
Hartnup Disease	Sensitivity to light and eye defect	Type A
Hawkinsonuria	Hepatic dysfunction	Type C
Histidinemia	Mental retardation, Renal defect	Type C
Histidinuria	Mental retardation different facial features	Type A
Homocystinuria	Mental retardation	Type A
Hydroxylysinuria	Mental retardation, behavioral problems and hyperactivity	Type C
Hyper hydroxyprolinemia	Mental retardation	Type C
Hyperglycinuria	Failure to thrive	Type B
Hyperleucine-Isoleucinemia	Seizures, failure to thrive	Type B
Hypermethioninemia	Unusual facial features, neurological problems, motor developmental delay	Type A
Hyperornitininemia Hyperammonemia- hyperhomocitrullinemia (HHH) syndrome	Vomiting, lethargy, developmental delay, learning disabilities	Type D
Hyperpipecolatemia	Severe delayed development	Type C
Hyperprolinemia Type-1	Neurological or psychiatric problems	Type C
Hyperprolinemia Type-II	Seizures, mental retardation	Type C
Imidiazole amino aciduria	Seizures, delayed development	Type B
Iminoglycinuria	Mental retardation and kidney problems	Type C
Infantile refsum disease	Blindness and hearing problems / retinitis pigmentosa	Type C
Isovaleric Acidemia	Twitching due to hypothermia, 'sweaty feet' odor	Type A
Lactose intolerance	Delayed development	Type A
Leigh syndrome	General weakness with heart problems	Type C
Lesch-Nyhan syndrome	Mental retardation / self biting habit	Type C
Long chain acyl-CoA dehydrogenase deficiency	Muscle weakness / Consistent muscle pain	Type A

DEMO\_ML Page 5 of 32



Disease	Complications	Type
Lysinuria	Mental retardation	Type C
Lysinuric Protein Intolerance	Poor weight gain	Type B
Maple Syrup Urine Disease	Neurological impairment, lethargy, Sweet smell to urine and body - like burnt sugar	Type A
Medium chain acyl CoA dehydrogenase deficiency	Failure to thrive	Type A
Methylmalonic Acidemia	Convulsions, lethargy	Type A
Methylmalonic Acidemia (MMA) due to abnormal metabloism, absorbtion & transport of Vitamin B12	Muscle weakness, convulsions and anemia	Type A
Multiple Carboxylase Deficiency (MCD)	Metabolic acidosis, decreased muscle tone, developmental delay	Type A
Mevalonic acidemia	Abnormal head shape, delayed developmental milestones	Type B
Methylmalonic semialdehyde dehydrogenase (MMSDH) deficiency	Metabolic acidosis, lethargy, seizures	Type B
N-acetylglutamate synthetase (NAGS) deficiency	Neurologic complications	Type B
Neonatal Adrenoleucodystrophy	Weakening of muscles	Type D
Neuroblastoma	Spontaneous regression	Type A
NICCD	Hepatic dysfunction	Type A
Ornithine transcarbamylase (OTC) deficiency	Irritational behaviour developmental delay	Type A
Orotic aciduria	Heart malformation and anemia	Type B
Partial deficiency of hypoxanthine- adenine phosphorybosyl transferase deficiency	Kidney stones / Movement problems	Type D
Phenylketonuria (PKU)	Developmental delay and behaviour problems	Type A
Primary hyperoxaluria	Renal colic with urinary stones	Type A
Propionic acidemia	Lethargy, poor feeding, hypotonia	Type A
Glycerol Kinase Deficiency	Growth Retardation	Type A
Pyruvate carboxylase deficiency	Respiratory problems,	Type D
Pyruvate decarboxylase deficiency	developemental disorder, severe movement disorder and vision problems	Type D
Pyruvate dehydrogenase (E1) deficiency	Poor feeding, lethargy and respiratory problems	Type D
Pyruvate dehydrogenase phosphatase deficiency	Lactic acidosis with decreased muscle tone	Type D
Saccharropinuria	Dysmorphic features, Short stature	Type C
carbamoyl phosphate synthetase 1- deficiency	Neurologic complications	Type B
Tyrosinemia Type III	Mild mental retardation, Convulsions, balancing difficulty	Type B
Serum carnosinase deficiency	Decreased muscle tone delayed development	Type C
Short chain acyl CoA dehydrogenase deficiency	Low blood sugar, lethargy	Type A
Citrullinemia type II	restlessness, memory loss, abnormal behaviors, seizures, and coma	Type B
Thymine Uraciluria	Mental retardation	Type D
Transient tyrosinemia in infancy	Prolonged jaudice, lethargy	Type A

DEMO\_ML Page 6 of 32



Disease	Complications	Type
Tryptophanuria with dwarfism	Short stature, mental retardation	Type B
Tyrosinemia due to liver dysfunction	Hepatic dysfunction	Type A
Tyrosinemia Type I	Cabbage-like odor to urine, liver dysfunction	Type A
Tyrosinemia Type II	Eyes sensitive to light, delayed development	Type B
Valinemia	Failure to thrive, vomiting and developmental delay	Type D
Xanthinuria	Acute renal failure	Type A
Xanthurenic aciduria	Mental retardation	Type A
Zellweger like syndrome	Decreased muscle tone, severe psycho-motor retardation	Type D
Zellweger syndrome	Decreased muscle tone, dysmorphic features	Type D
β-aminoisobutyric aciduria	Neurological impairment	Type D
Defects of biopterin cofactor biosynthesis (BIOPT BS)	Developmental delays, Seizures (known as epilepsy), Behavioral troubles	Type B
Defects of biopterin cofactor regeneration (BIOPT REG)	intellectual disability, movement disorders, difficulty swallowing, seizures	Type B
Galactokinase deficiency (GALK)	development of cataracts, enlarged liver and spleen	Type B
Galactose epimerase deficiency (GALE)	delayed growth and development, intellectual disability, liver disease, and kidney problem	Type B
Isobutyryl-CoA dehydrogenase deficiency (IBD)	anemia, weak muscle tone, developmental delay	Type B
Malonic acidemia (MAL)	Hypoglycemia, vomiting, diarrhea, seizures	Type B
Methylmalonyl- CoA mutase deficiency (MUT)	severe keto acidosis, psychomotor dysfunction, dystonia	Type B
Mitochondrial trifunctional protein Deficiency	Lethargy, hypoglycemia, weak muscle tone (hypotonia), liver problems	Type B
Iminoglycinuria	Mental retardation and kidney problems	Type C
Fructosuria	Hepatomegaly, jaundice, cirrhosis, convulsions, failure to thrive and mental retardation	Type C
Hypersarcosinemia	visual impairment, cardiomyopathy, cranial synostosis, growth and mental retardation	Type C
Succinic semialdehyde dehydrogenase deficiency	Weak muscle tone (hypotonia), weak reflexes, seizures and a nonprogressive gait disturbances	Type D
Histidinuria	Mental retardation, different facial features	Type D
Aminoacylase I Deficiency	Deafness, Muscle weakness, Cerebral Atrophy	Type D

#### Type A

Prevention and treatment measures are very effective for this disorder. In most cases the baby can be completely healthy or suffer only from minor complications of diagnosed early and treated in time.

### Type B

Prevention for these disorders is more difficult, but right diagnosis helps in prevention or treating acute complications for the best possible outcome for the child. Harmful and potentially fatal episodes of the disorder can often be prevented or treated effectively to improve complications.

#### Type C


These disorders cause compliactions in only about 10% of affected individuals, which need to be treated. 90% of individuals exhibit no symptoms at all.

#### Type D

These disorders are more severe and may significantly impact the babies health even with early diagnosis. Correct diagnosis answers many urgent questions when complications arise and enable supportive therapy to reduce symptoms and complications.

DEMO\_ML Page 7 of 32







# **RESULT**

Find out whether a genetic disease was detected here



**THE RESULT** 

### The result

You had the urine sample of your child tested for signs for 101 genetic disorders and the results have been successfully analysed by our geneticists and molecular biologists.

# No disorder identified

We have measured all relevant parameters and the analysis revealed no signs for one of the 101 genetic disorders covered by this test.

As a consequence, your child does not require special preventive measures or treatment besides a generally healthy lifestyle.

#### Please note:

This test only covers the genetic disorders in the portfolio of Baby Sensor 100+. Other disorders cannot be detected by this method and so this report can only give information on the status of any of the 101 diseases. As is the case in any laboratory procedure, the detection rate is approximately 99% and the results apply only to the urine sample you provided for analysis. Diseases, that develop later in life are not covered by this test, but are available separately for you and your children.



DEMO\_ML Page 10 of 32




**TECHNICAL DETAILS** 

# Technical details

In the previous sections you have seen the technical result interpretation done by our metabolic experts and scientists. In this section you see the actual raw data of the analysis. This will enable external metabolic experts to review the analysis results and confirm the diagnosis.


#### What do the graphs mean?

Technical reports, especially those of an advanced thechnology such as GC/MS are difficult to interpret and it takes years of study to fully understand and interpret them correctly. Here is just a short explanation of the elements of the results.




### **The Chromatogram**

This image shows all of the substances present in your Baby's urine. The different substances are shown next to each other (along the horizontal axis) and the high peaks show how much of each of these substances is present in the urine sample.



#### Values close to or in the risk area

During this analysis we have measured 250 different substances in your Baby's urine. From scientific studies we know which substances are too high in a babies urine when one of the 101 metabolic diseases is present. With the technology we are using, this is quite easy to determine, as it is usually 5 to 8 substances that are too high at the same time. This allows fast and easy diagnosis of the right disorder in one go. If one or a few substances are in the risk area, this is quite common and no reason to worry. Only when the right substances are too high in combination, this means there is a disease present.



#### "Observed Value" and "Control Value"

The "Observed Value" is the amount that was measured in your Baby's urine. In many cases the result will say "N.D", which means that the substance was present in such low amounts, that the machine was unable to detect any. This is a good sign. The "Control Value" is a standard (a certain threshold) that our scientists use to compare the results of your Baby. If the observed value is close to or higher than these standard values, our scientists pay particular attention to these substances when interpreting the results.

DEMO\_ML Page 11 of 32



Name		Age/ Gender	
Sample	Urine Sample	Report Date	

# Screening for 111 metabolic disorders by Urinary Total Ion Chromatogram Analytics (UTICA)

#### Result

Sample is screened negative for disorders tested. Please correlate the results with other clinical and diagnostic findings.


#### Note

- \* This result is with reference to GC/MS analysis (List Enclosed) of the urine sample received this time only and does not rule out all IEMs (other than those screened for)
- \* A possibility of 2% human error is possible

- ${\it * The \ clinician \ is \ requested \ to \ correlate \ this \ report \ with \ other \ clinical,} \\ radiological \ and \ laboratory \ findings$
- \* Some metabolites may be found to be increased in several conditions other than IEMs such as in case of administered drugs / IV fluids etc. So, it is important to take into consideration such conditions during interpreting the report

DEMO\_ML Page 12 of 32







DEMO\_ML Page 13 of 32

#### Annexure

Detailed report of the tested disorders under Amino Acidopathies, Organic Acidemias, TCA Cycle, Mitochondrial Abnormality, Fatty Acid Metabolism, Peroxisomal, Purine & Dyrimidine metabolism, Sugar metabolism and Non-IEM disorders are illustrated in the table below. The graph of metabolic biomarkers used is shown below. Metabolic Biomarkers associated with the disorder are given with their control and observed values.


#### 1. Amino Acidopathies and Organic Acidemias:

_,	ano ricidopalmes una Orga	c riciu
	Name of the Disorder	Result
1	Beta- ketothiolase deficiency (BKT)	Negative
2	Alkaptonuria	Negative
3	Argininemia	Negative
4	Biotinidase deficiency	Negative
5	carbamoyl phosphate synthetase 1-	Negative
3	deficiency	rioganivo
6	Dihydrolipoyl dehydrogenase (E3) deficiency	Negative
7	Familial Renal iminoglycinuria	Negative
8	Glutaric aciduria type I	Negative
9	Glutaric aciduria type II	Negative
10	Hartnup Disease	Negative
11	Homocystinuria	Negative
12	Hyperhydroxyprolinemia	Negative
13	3-hydroxy-3-methylglutaryl-CoA- lyase deficiency	Negative
14	Hyperleucine-isoleucinemia	Negative
15	Iminoglycinuria	Negative
16	Isovaleric acidemia	Negative
17	2-ketoadipic aciduria	Negative
18	Lysinuric protein intolerance	Negative
19	•	
17	Maple syrup urine disease (MSUD)	Negative
20	3-methylcrotonyl CoA carboxylase deficiency	Negative
21	3-methylglutaconic aciduria	Negative
22	Methylmalonic semialdehyde dehydrogenase deficiency	Negative
23	Mevalonic aciduria	Negative
24	Ornithine transcarbamylase deficiency	Negative
25	Phenylketonuria (PKU)	Negative
26	Propionic acidemia	Negative
27	Transient neonatal tyrosinemia	Negative
28	Tyrosinemia Type I	Negative
20	Tyrosmenna Type I	riogative

DEMO\_ML Page 14 of 32



58	Defects of biopterin cofactor regeneration (BIOPT REG)	Negative	67	Isobutyryl-CoA dehydrogenase deficiency (IBD)	Negative
59	NICCD	Negative	68	Aminoacylase I Deficiency	Negative
60	Benign hyperphenylalaninemia	Negative	69	Succinic semialdehyde dehydrogenase deficiency	Negative
61	Cystinuria	Negative	70	Hawkinsunuria	Negative
62	Citrullinemia type II	Negative	71	Lysinuria	Negative
63	Methylmalonic acidemia (MMA) - Cbl C, D	Negative	72	N-acetylglutamate / Carbamylphosphate synthetase	Negative
64	Malonic acidemia (MAL)	Negative	12	deficiency	regative
65	Methylmalonic aciduria, cblA and cblB forms (MMA, Cbl A,B)	Negative	73	5-oxoprolinuria	Negative
66	Methylmalonyl- CoA mutase deficiency (MUT)	Negative	74	Tyrosinemia caused by liver dysfunction	Negative



Sr. No.		Control Value	Observed Value
1	2Aadipate	0-5	0.727
2	2E3HP	0-0.7	N.D
3	2Hadipate	0-1.2	N.D
4	2HB	0-0.1	N.D
5	2HG	0.2-7.1	2.257
6	2HIC	0-0.1	N.D
7	2HIV	0-0.1	N.D

Sr. No.		Control Value	Observed Value
8	2K3MV	0-0.1	N.D
9	2Kadipate	0-0.1	N.D
10	2KG	0-1.1	N.D
11	2KGM	0-6.4	N.D
12	2М3НВ	0-3	0.755
13	3AIB1	0-39	N.D
14	3AIB2	0-0.5	0.301

DEMO\_ML Page 15 of 32




15	3НВ	0-0.1	0.058	50	Glutarate	0-0.4	N.D
16	3HG	0-0.1	N.D	51	Gly1	0.1-28.9	19.793
17	3НІВ	0-3.3	0.308	52	Gly2	0-25.7	1.692
18	3HIV	0-10.9	0.222	53	His	0-27.6	N.D
19	3НР	0-1.1	N.D	54	HMG1	0-0.8	0.147
20	3Hsebacate	0-1.8	N.D	55	HMG2	0.1-2.2	0.274
21	3MCG1	0-0.1	N.D	56	Homo-Cys	0-0.1	N.D
22	3MCG2	0-0.1	N.D	57	Homogentisate	0-0.1	N.D
23	3Me-glutaconate1	0-0.2	N.D	58	HomoSer	0-13.6	N.D
24	3Me-glutaconate2	0-0.2	N.D	59	isoLeu	0-5.6	N.D
25	3Me-glutarate	0-0.1	N.D	60	IVG1	0-0.1	N.D
26	4HB	0-0.1	N.D	61	IVG2	0-0.1	N.D
27	4HPA	0.1-10	N.D	62	Lactate	1.1-208.1	19.121
28	4HPL	0-3.7	1.092	63	Leu	0-9.3	N.D
29	4HPP	0-0.1	N.D	64	Lys1	0-8.8	N.D
30	4Hpro	0-18	N.D	65	Lys2	0-5.5	N.D
31	AA1	0-0.1	N.D	66	Mandelate	0-0.1	N.D
32	AA2	0-0.1	N.D	67	Me-citrate	0-2.4	N.D
33	Adipate	0.1-7.2	0.474	68	Met	0-1	N.D
34	Ala	0.4-25	13.201	69	Mevalonolatone1	0-0.1	N.D
35	Asparagine	0-5.3	1.133	70	Mevalonolatone2	0-0.1	N.D
36	b-Ala	0-0.2	N.D	71	MMA	0-0.4	N.D
37	BG1	0-0.1	N.D	72	N-AcetyTyr	0-0.1	N.D
38	BG2	0-0.1	N.D	73	NacetylASP	0-8.3	N.D
39	Cys	0-2	N.D	74	Orn	0-0.9	N.D
40	Dimethylglycine	0.1-1.7	0.678	75	Orotate	0-0.1	0.086
41	Galactitol	0-7.7	7.092	76	PA	0-0.3	N.D
42	Galactonate	0-10.6	N.D	77	PG1	0-0.2	N.D
43	Galactose1	0-0.4	0.25	78	PG2	0-0.1	N.D
44	Galactose2	0-1.4	1.031	79	Phe1	0-0.1	N.D
45	Gln	0-1.1	N.D	80	Phe2	0-8.5	N.D
46	Glu	0-7.4	0.565	81	PLA	0-0.1	N.D
47	Glucose1	0-35.3	11.459	82	PPA	0-0.1	N.D
48	Glucose2	0.4-27.5	N.D	83	Pro	0-19.4	9.728
49	glutaconate	0-0.1	N.D				

DEMO\_ML Page 16 of 32



#### 2. TCA Cycle/Mitochondrial Abnormality:

Sr. No	Name of the Disorder	Result
1	Fumarate hydratase deficiency	Negative
2	Pyruvate decarboxylase deficiency	Negative
3	Pyruvate carboxylase deficiency	Negative
4	Pyruvate dehydrogenase (E1) deficiency	Negative
5	Pyruvate dehydrogenase phosphatase deficiency	Negative
6	Leigh syndrome	Negative




Sr. No.		Control Value	Observed Value
1	2KG	0-1.1	N.D
2	Citrate	0-10.3	N.D
3	Fumarate	0-4	0.47

Sr. No.		Control Value	Observed Value
4	Lactate	1.1-208.1	19.121
5	Malate	0-2.9	0.422
6	Succinate	0-4.7	1.631

#### 3. Disorders of Fatty Acid Metabolism:

Sr. No	Name of the Disorder	Result
1	Medium chain acyl CoA dehydrogenase deficiency	Negative
2	Short chain acyl CoA dehydrogenase deficiency	Negative
3	Ethyl Malonic Aciduria	Negative
4	Mitochondrial trifunctional protein Deficiency	Negative
5	Glycerol Kinase Deficiency	Negative

Sr. No	Name of the Disorder	Result
6	Very Long-chain acyl-CoA dehydrogenase deficiency	Negative



DEMO\_ML Page 17 of 32




Sr. No.		Control Value	Observed Value
1	2HG	0.2-7.1	2.257
2	3НВ	0-0.1	0.058
3	5HC6	0-0.8	N.D
4	AA1	0-0.1	N.D
5	AA2	0-0.1	N.D
6	Adipate	0.1-7.2	0.474
7	BG1	0-0.1	N.D
8	BG2	0-0.1	N.D
9	C10	0-0.1	N.D
10	C12	0-0.1	N.D

Sr. No.		Control Value	Observed Value
11	C141	0-0.1	N.D
12	C6	0-5.9	N.D
13	C8	0-0.1	N.D
14	Citrate	0-10.3	N.D
15	EMA	0-0.1	0.055
16	HexG	0-0.5	N.D
17	Lactate	1.1-208.1	19.121
18	Me-succinate	0-0.1	N.D
19	sebacate	0-0.1	N.D

#### 4. Peroxisomal Disorders:

Sr. No	Name of the Disorder	Result
1	Zellweger like syndrome	Negative
2	Zellweger syndrome	Negative
3	Primary hyperoxaluria type 2	Negative
4	Infantile refsum disease	Negative
5	Neonatal Adrenoleukodystrophy	Negative
6	Primary hyperoxaluria Type 1	Negative



Sr. No.		Control Value	Observed Value
1	Adipate	0.1-7.2	0.474
2	Malate	0-2.9	0.422
3	Oxalate	0-2.8	0.141

Sr. No.		Control Value	Observed Value
4	sebacate	0-0.1	N.D
5	Suberate	0-0.5	0.327

DEMO\_ML Page 18 of 32



### **5. Disorders of Purine and Pyrimidine Metabolism:**

	•	
Sr. No	Name of the Disorder	Result
1	Lesch-Nyhan syndrome	Negative
2	Dihydropyrimidinase Deficiency	Negative
3	Orotic aciduria	Negative
4	Thymine Uraciluria	Negative
5	Xanthinuria	Negative
6	Adenosine deaminase deficiency	Negative
7	Adenine phosphoribosyl transferase deficiency	Negative
8	Partial deficiency of hypoxanthine- guanine phosphoribosyltransferase deficiency	Negative
9	Hyperuric acidemia	Negative


4 apr										High Risk
magnitude N E										Medium Risk
т ш 2		-	-	-	-	-	-	-		Low Risk
1 0		•			<b>A</b>	ACHINICHUM				Normal
	5нми	тно	DHO	hypoxanthine	Orotate	Thymine Thymine	uracil	Xanthine -	-	

Sr. No.	Metabolite Name	Control Value	Observed Value
1	5HMU	0-0.1	N.D
2	DHT	0-0.9	N.D
3	DHU	0-1.5	N.D
4	hypoxanthine	0-4.2	N.D

Sr. No.		Control Value	Observed Value
5	Orotate	0-0.1	0.086
6	Thymine	0-0.2	0.195
7	Uracil	0-9.9	0.289

### 6. Disorders of Sugars:

Sr. No	Name of the Disorder	Result
1	Fructose-1 and 6-diphosphatase deficiency	Negative
2	Galactosemia	Negative
3	Endogenous sucrosuria	Negative
4	D-glyceric aciduria	Negative
5	Lactose Intolerance	Negative
6	Galactokinase deficiency (GALK)	Negative
7	Galactose epimerase deficiency (GALE)	Negative
8	Fructosuria	Negative
9	Transient Galactosemia	Negative



DEMO\_ML Page 19 of 32




Sr. No.	Metabolite Name	Control Value	Observed Value
1	Fructose	0-1	N.D
2	G3P	0-4.2	0.773
3	Galactitol	0-7.7	7.092
4	Galactonate	0-10.6	N.D
5	Galactose1	0-0.4	0.25
6	Galactose2	0-1.4	1.031
7	Glucose1	0-35.3	11.459
8	Glucose2	0.4-27.5	N.D

Sr. No.	Metabolite Name	Control Value	Observed Value
9	Glycerol	0-28.8	9.101
10	Lactate	1.1-208.1	19.121
11	Lactose	0.2-28	N.D
12	Sucrose	0-2.6	N.D

#### 7. Non-IEM Disorder:

Sr. No	Name of the Disorder	Result
1	Neuroblastoma	Negative




Sr. No.		Control Value	Observed Value
1	3Hmandelate	0-0.1	N.D
2	HVA	0.1-1.6	0.565
3	VMA	0-6.5	N.D

DEMO\_ML Page 20 of 32









# **SCIENCE**

This chapter shows the science behind the test.



REFERENCES

### References

All our analyses and treatment recommendations are scientifically validated. Here are some of the relevant literature references for your information.

- ➤ Wajner M., Coelh DdM., et al., (2009): Selective screening for organic acidemias by urine organic acid GC–MS analysis in Brazil: Fifteen-year experience. Clinica Chimica Acta 400: 77–81.
- ➤ Verma IC, Bijarnia S and Puri RD. (2006) Burden of genetic Disorders in India. In Preventive genetics (Ed) Gogates. pp36-46. Jaypee Brothers Medical Publishers (P) Ltd.
- > http://www.ornl.gov/sci/techresources/Human\_Genome/medicine/assist.shtml
- > Sharma S., Kumar P., et al., (2008): Approach to Inborn errors of Metabolism Presenting in the neonate. The Indian Journal of pediatrics. 75(3);271
- > Database for Inborn Errors of Metabolism in the Indian State of AP
- http://biochem.uohyd.ernet.in/IEM%20disorders.html
- Noninvasive human metabolome analysis for differential diagnosis of inborn errors of metabolism; Tomiko Kuhara; doi:10.1016/j.jchromb.2007.03.031
- ➤ A new chemical diagnostic method for inborn errors of metabolism by mass spectrometry-rapid, practical and simulateneous urinary metabolites analysis; I. Matsumoto and T. Kuhara; Mass Spectrometry Reviews, 1996. 15, 43-57
- > Selective screening for organic acidemias by urine organic acid GC-MS analysis in Brazil: Fifteen-year experience; Moacir Wajner et al.; Clinica Chimica Acta 400 (2009) 77–81 Dobbing J. Sands J.
- ➤ Quantitative growth and development of human brain. Arch Dis Child. 1973;48(10):757-767. Martinez M. Tissue levels of polyunsaturated fatty acids during early human development. J Pediatr. 1992;120(4 Pt 2):S129-S138. Makrides M, Neumann MA, Byard RW, Simmer K, Gibson RA.
- > Fatty acid composition of brain, retina, and erythrocytes in breast- and formula-fed infants. Am J Clin Nutr. 1994;60:(2)189-194. Haggarty P, Page K, Abramovich DR, Ashton J, Brown D.
- Long-chain polyunsaturated fatty acid transport across the perfused human placenta. Placenta. 1997;18(8):635-642. Auestad N, Halter R, Hall RT, et al.
- ➤ Growth and development in term infants fed long-chain polyunsaturated fatty acids: A double-masked, randomized, parallel, prospective, multivariate study. Pediatrics. 2001;108(2):372-381. Birch EE, Hoffman DR, Uauy R, Birch DG, Prestidge C.
- ➤ Visual acuity and the essentiality of docosahexaenoic acid and arachidonic acid in the diet of term infants. Pediatr Res. 1998;44(2):201-209. Helland IB, Smith L, Saarem K, Saugstad OD, Drevon CA.
- ➤ Maternal supplementation with very-long-chain n-3 fatty acids during pregnancy and lactation augments children's IQ at 4 years of age. Pediatrics. 2003;111(1):e39-e44. The British Nutrition Foundation.
- > Unsaturated fatty acids: Nutritional and physiological significance. London: Chapman & Hall; 1992;152-163. Food and Agricultural Organization of the United Nations/World Health Organization Joint Expert Consultation.
- Lipids in early development. In: Fats and oils in human nutrition. FAO Food and Nutri Pap. 1994;57:49-55. Simopoulos AP, Leaf A, and Salem N Jr. Workshop on the essentiality of and recommended dietary intakes for omega-6 and omega-3 fatty acids. J Am Coll Nutr. 1999;18(5):487-489. Hoffman DR, Wheaton DKH, James KJ, et al. Docosahexaenoic acid in red blood cells of term infants receiving two levels of long-chain polyunsaturated fatty acids. J Pediatr Gastroenterol Nutr.

DEMO\_ML Page 24 of 32




2006;42(3):287-292. Auestad N, Montalto MB, Hall RT, et al.

- ➤ Visual acuity, erythrocyte fatty acid composition, and growth in term infants fed formulas with long chain polyunsaturated fatty acids for one year. Ross Pediatric Lipid Study. Pediatr Res. 1997;41(1):1-10. Hoffman DR, Birch EE, CastanedaYS, et al.
- Dietary docosahexanoic acid (DHA) and visual maturation in the post-weaning term infant. Invest Opthamol Vis Sci. 2001;42:S122-128. Hoffman DR, Birch EE, Castañeda YS, et al.
- > Visual function in breast-fed term infants weaned to formula with or without long-chain polyunsaturates at 4 to 6 months: A randomized clinical trial. J Pediatr. 2003;142(6):669-677. Innis SM, Gilley J, Werker J.
- Are human milk long-chain polyunsaturated fatty acids related to visual and neural development in breast-fed term infants? J Pediatr. 2001;139(4):532-538. Birch EE, Garfield S, Castañeda Y, et al.
- ➤ Visual acuity and cognitive outcomes at 4 years of age in a double-blind, randomized trial of long-chain polyunsaturated fatty acid-supplemented infant formula. Early Human Dev. 2007;83(5):279-284. U.S. Department of Agriculture. Agricultural Research Service.

DEMO\_ML Page 25 of 32







# **ADDITIONAL INFORMATION**

In this chapter you will receive useful and helpful information



#### **CERTIFICATIONS**

# Certifications

Our laboratory is one of the most modern and automated laboratories in Europe, and has numerous certifications and quality assurance systems that meet international standards or even exceed them. The various fields of business are certified separately to the highest standards.

#### **Analysis for Lifestlye-purposes**

Certified through analysis in our ISO 15189 certified laboratory





# Medical interpretation of genetic analyses

Certified through analysis in our ISO 15189 certified laboratory





#### Scientific release of analysis results

Licensed for medical genetic analyses by the Austrian government





#### **Company and office**

qualityaustria

Certified through ISO 9001





DEMO\_ML Page 28 of 32





**CUSTOMER SERVICE** 

# **Customer Service**

#### Questions or comments about our service?

Our customer service team is happy to help with any enquiries, questions or problems. You can contact us in the following ways:

- > office@dna4me.eu
- **>** +43 664 918 09 20

Our team is looking forward to your call. Customer satisfaction is our first priority. If you are not fully satisfied with our service, please let us know. We will do our best to help find a satisfactory solution to your problem.

Contact | Impressum DNA 4 ME GmbH Wehrgasse 5 5020 Salzburg Austria

DEMO\_ML Page 29 of 32





# **TECHNICAL DETAILS**

# Technical details

#### **Address**

Musterstrasse 1 1234 Musterstadt GERMANY

Order number DEMO\_ML

**Date of birth** 01/01/1990

Product codes B1BAB

#### **Ordering company**

DNA 4 ME GmbH Wehrgasse 5 5020 Salzburg Austria

**Laboratory Director** 

Dr. Daniel Wallerstorfer Bsc.

#### **Established analysis methods**

qRT-PCR, DNA sequencing, fragment length analysis, CNV assay, GC-MS, Immunocap ISAC, Cytolisa

**Detection rate** 

~>99%

Report generated

07/02/2018

**Current version** 

V515

**Analyzing company** 

DNA Plus - Zentrum für Humangenetik Georg Wrede Strasse 13 83395 Freilassing Deutschland

**Laboratory Manager** 

Florian Schneebauer, MSc.

DEMO\_ML Page 30 of 32



### **NOTES:**





DNAme

MY Baby's Health

Maria Musterfrau DEMO\_ML